



GAGE DATA

Location	Reading	Discharge	C.R.P.	Date
Omaha	6.5	31,500	-1.5	14 Oct '68
Omaha	6.7	31,500	-1.3	15 Oct '68

Note:
All soundings are depths in feet below C.R.P.
(Design flow of 30,000 c.f.s. at Sioux City.)

NOTES:
WESTON IS THE ORIGIN OF THE GRID COORDINATE SYSTEM
ALL AZIMUTHS ON THIS SHEET REFER TO TRUE SOUTH AT Δ AS SHOWN
GRID DIVERGENCE AS SHOWN
ELEVATIONS REFER TO MEAN SEA LEVEL AS ZERO
O 1980 ADJUSTED M.L.L.G.
1980 MILEAGE SHOWN IN TITLE
BEND CHANGE

THIS DRAWING HAS BEEN REDUCED TO ONE-HALF THE ORIGINAL SCALE.

Revised to show latest field data	
DATE	DESCRIPTION
MADE	APPROVED
U.S. ARMY ENGINEER DISTRICT, OMAHA CORPS OF ENGINEERS OMAHA, NEBRASKA	
COMPILED BY: L.P.L.	MISSOURI RIVER
DRAWN BY: L.P.L.	HYDROGRAPHIC SURVEY
TRACED BY: L.P.L.	STRUCTURE 681.3 TO 678.95
CHECKED BY: G.C.S.	LOWER CALHOUN AND
APPROVED BY: G.C.S.	BOYER BENDS
DATE	DATE
14 & 15 OCT 1968	14 & 15 OCT 1968
SCALE 1 INCH = 400 FEET	
DRAWING NUMBER	
MCC-18E68-46	