Index To

Survey No. 2

INDEX VOL. 2.

I. SUBDIVISIONS TOWNS 1 & 4 N. RANGE 28 W.
II. " " " 1 & 4 N. " 29 W.
III. " " " 1 & 4 N. " 30 W.

FIELD NOTES

OF

THE SURVEY AND SUBDIVISION

OF

TOWNSHIP No. 1 NORTH OF BASE LINE

OF

RANGE No. 28 WEST OF THE 6th P. M.

IN NEBRASKA.

EXECUTED BY

GEO. W. FAIRFIELD DEPUTY SURVEYOR

UNDER CONTRACT No. 45 DATED JUNE 17, 1871.

SURVEY.

COMMENCED AUG. 7, 1871

COMPLETED AUG. 11, 1871

LIST OF NAMES

AND DUTIES OF ASSISTANTS.

WM. L. WELLS. CHAINMAN

FRANK L. MATHER MOUNDMAN

WM. E. RHNOALL FLAGMAN

GEO. W. FAIRFIELD COMPASSMAN

Compiled
B & P

FIELD NOTES
OF
THE SURVEY AND SUBDIVISION
OF
TOWNSHIP No 2 NORTH OF BASE LINE
OF
RANGE No 28 WEST OF 6TH PM
IN NEBRASKA.

EXECUTED BY

GEO. W FAIRFIELD DEPUTY SURVEYOR
UNDER CONTRACT No 48 DATED JUNE 17. 1871

SURVEY

COMMENCED AUGUST 7. 1871
COMPLETED AUGUST 11. 1871

LIST OF NAMES
AND DUTIES OF ASSISTANTS

EMMETT H. SPRAGUE	CHINMAN
FRANK L. MATHER	MOUNDMAN
WM E RANDALL	FLAGMAN
GEO W FAIRFIELD	COMPASSMAN

INDEX DIAGRAM

REFERRING THE LINES TO THE PAGES OF THE FIELD NOTES.

6	15 5	11	4	8	3	6	2	4	1
15	15	11		8		6		3	
7	15 8	11	9	8	15	6	11	3	12
14	14	10		5		5		3	
18	14 17	10	16	5	15	5	14	2	13
14	13	10		7		5		3	
19	13 20	11	21	7	22	5	23	2	24
13	13	9		7		4			
30	12 29	9	28	7	27	4	26	1	25
12	12	9		6		4		1	
31	12 32	9	33	6	34	4	35	1	36.

Field Notes:

Township No 2 N. Range 28 W. 6th P.M.

Township No 2 N Range 28 West 6th P.M.

Chains	
	To determine the proper adjustment of my compass for subdividing the Township. I commenced at the corner to Township 1 and 2 North of the base line of Ranges 27 and 28 West of the 6 P.M. and run North on a blank line along the east boundary of Section No 36. Var 13° 20' E.
40.00	The 1/4 Section corner
80.05	To post the corner to Sections 25 and 36. Where I find my compass in proper adjustment.
	North between Sections 35 and 36. Var 13° 20' E.
40.00	Set limestone 13x12x7 for a 1/4 sec corner.
80.00	Set limestone 14x10x6 for the corner to sections 25. 26. 35 and 36
	Land high and rolling Soil 2nd rate.
	East on a random line between Secs 25 & 36 Var 13° 20' E.
40.00	Set post for temporary 1/4 Sec corner.
73.00	Ravine bears N.E.
80.02	Intersect the east boundary of Township 5 links South of the corner to Secs 25 and 36 From which corner I run
	S 89° 54' West on a true line between Secs 25. 36 Var 13° 20' E.
40.01	Set limestone 12x12x6 for a 1/4 Sec' corner.
80.02	The corner to Sections 25. 26. 35 and 36.
	Land high and rolling soil and Rate.
	North between Sections 25 and 26. Var 13° 20 East.
40.00	Set Limestone 12x11x9 for a 1/4 sec' corner.
80.00	Set Limestone 14x12x7 for the corner to sections 23. 24. 35. 26.
	Land high and Rolling Soil and Rate.

Township No 2 N Range 28 West 6th P.M.

Chains	
	East on a random line between Sec's 24 and 25 Var 13° 20' E.
38.00	Deep Ravine bears N.W. with limestone along east side.
40.00	Set post for temporary 1/4 Section corner.
80.10	Intersect the East boundary of the Township at the corner to sections 24 and 25 From which corner I run
	West on a true line between Sec 24 and 25 Var 13° 20' E.
40.05	Set Limestone 13x10x5 for a 1/4 Sec corner.
80.10	The corner to sections 23. 24. 25 and 26.
	Land rolling soil and Rate.
	North between Sections 23. and 24. Var 13° 20' E.
41.00	Set Limestone 12x12x9 for a 1/4 Sec corner
53.00	Deep ravine bears N.W.
80.00	Set Limestone 16x10x5 for the corner to sections 13. 14. 23 and 24.
	Land rolling soil and Rate:
	East on a random line between Sec's 13 and 24. Var 13° 20' E.
41.00	Set post for temporary 1/4 section corner.
79.96	Intersect the east boundary of the Township 15 links South of the Cor to Sec's 13 and 24 From which corner I run
	S 89° 54' West on a true between Sec's 13. and 24. Var 13° 20' E.
39.98	Set a limestone 14x12x5 for a 1/4 Sec corner.
79.96	The corner to sections 13. 14. 23 and 24.
	Land rolling soil 2nd rate.
	North between sections 13 and 14. Var 13° 20' E.
23.00	Ravine bears S.W. into deep ravine.
41.00	Set a limestone 14x10x4 for a 1/4. Sec corner.
80.00	Set a limestone 15x11x5 for the corner to sections 11. 12. 13. and 14.
	Land rolling soil and rate.

Township No 2 N. Range 28 West of the 6th P. M.

Chains	
	East on a random line between Secs 12 & 13. Var 13° 20' E.
40.00	Set post for temporary 1/4 section corner.
79.83	Intersect the east boundary of the Township 10 links south of the corner to Sec 12 and 13 from which corner I run
	S 89° 56' West on a true line between Sec 12.13. Var 13° 20' E
39.91½	Set limestone 14 x 9 x 5 for a 1/4 Sec corner.
79.83	The corner to sections 11. 12. 13 and 14. Land rolling soil 2nd rate.
	North between Section 11 and 12 Var 13° 20' E.
40.00	Set limestone 12 x 12 x 4 for a 1/4 Sec corner.
50.00	Ravine bears S.W.
80.00	Set Limestone 16 x 9 x 4 for the corner to sections 1. 2. 11. and 12. Land rolling soil 2nd Rate.
	East on a random line between Sec's 1 and 12 Var 13° 20' E.
28.00	Ravine bears S.W.
40.00	Set post for temporary 1/4 Sec corner.
79.92	Intersect the east boundary of Township 24 links south of the corner to sec's 1 and 12 from which corner I run
	S 89° 50' West on a true line between Sec's 1.12 Var 13° 20' E.
39.96	Set limestone 14 x 10 x 5 for a 1/4 Sec corner.
79.92	The corner to sections 1. 2. 11. and 12. Land rolling soil 2nd rate.
	North on a random line between Sec's 1 and 2 Var 13° 20' E.
40.00	Set post for temporary 1/4 Sec corner.
79.60	Intersect North boundary of the Township 8 links east of the ~~boundary~~ corner to sections from which cor I run 1 and 2.
	S 3° East on a true line bet secs 1 and 2. Var 13° 20' East
39.60	Set Limestone 12 x 12 x 8 for a 1/4 sec corner.

Township No 2 N Range 28 West 6th P. M.

Chains	
79.60	The corner to sections 1. 2. 11. and 12. Land high rolling Prairie Soil 2nd Rate
	North between Sec 34 and 35. Var 13° 20' East.
40.00	Set limestone 14 x 12 x 7 for a 1/4 Sec corner.
80.00	Set limestone 12 x 12 x 7 for the corner to Sections 26. 27. 34 and 35. Land rolling Soil 2nd Rate. Aug 11. 1871
	East on a random line between Secs 26 and 35 Var 13° 20' E.
39.00	Ravine bears North.
40.00	Set post for temporary 1/4 Sec corner.
80.20	Intersect N and S line at the cor to secs 26. 26 35 and 36 from which cor I run
	West on a true line between Secs 26. and 35. Var 13° 20' E.
40.10	Set limestone 14 x 12 x 4 for a 1/4 Sec corner.
80.20	The corner to sections 26. 27. 34. and 35. Land rolling Soil 2nd Rate.
	North between Sections 26. and 27. Var 13° 20' E.
40.00	Set Limestone 14 x 12 x 5 for a 1/4 Sec corner.
80.00	Set limestone 15 x 10 x 6 for the corner to Sections 22. 23. 26. and 27. Land rolling soil 2nd Rate.
	East on a random line between Sec's 23. and 26. Var 13° 20' E.
27.00	Ravine Bears N.W.
40.00	Set post for temporary 1/4 Sec corner.
80.18	Intersect the N and S line 15 links North of the cor to Secs 23. 24. 25. 26. from which cor I run
	N 89° 54' West on a true line between Sec's 23 and 26 Var 13° 20' E.
40.09	Set a limestone 12 x 11 x 8 for a 1/4 Sec corner.
80.18	The corner to sections 22. 23. 26 and 27
	Land rolling soil 2nd rate.

Township No 2 N Range 28 West of the 6th P.M.

Chains	
	North between Secs 22 and 23
28.00	Ravine bears N.W. Var 13°20' E
	with a quantity of limestone in side of ravine
40.00	Set Limestone 12 x 10 x 5 for a 1/4 Sec corner
80.00	Set limestone 13 x 9 x 7 for the corner to sections 14. 15. 22. and 23.
	Land rolling soil 2nd rate.
	East on a random line between secs 14 and 23 Var 13°20' E.
40.00	Set post for temporary 1/4 sec corner
59.00	Ravine bears N.W.
80.22	Intersect N and S line 2 links South of the corner to secs 13. 14. 23 and 24. From which corner 2 run
	S 89°57' West on a true line between secs 14 and 23 Var 13°20' E
40.11	Set Limestone 12 x 10 x 5 for a 1/4 sec corner
80.22	The corner to sections 14. 15. 22 and 23.
	Land broken soil 2nd rate Limestone in bed and side of deep ravine in section.
	North between sections 14 and 15 Var 13°20' East
40.00	Set limestone 12 x 10 x 6 for 1/4 sec corner
44.00	Deep ravine bears N.W. limestone along East side
80.00	Set limestone 14 x 10 x 6 for corner to sections 10. 11. 14 and 15.
	Land rolling soil 2nd rate.
	East on a random line between secs 11 and 14 Var 13°20' E.
40.00	Set post for temporary 1/4 sec corner
80.30	Intersect N & S line 17 links South of the cor to secs 11. 12. 13. 14 From which cor 2 run
	S 89°53' West on a true line bet secs 11 & 14 Var 13°20' East
40.15	Set Limestone 12 x 9 x 6 for 1/4 sec corner.
80.30	The corner to sections 10. 11. 14. 15.
	Land high rolling prairie soil 2nd rate.

Township No 2 North Range 28 West 6th P.M.

Chains	
	North between sections 10 and 11 Var 13°20' E.
20.00	Ravine bears S.W.
40.00	Set Limestone 10 x 9 x 7 for 1/4 sec corner.
80.00	Set limestone 9 x 9 x 7 for the cor to secs 2. 3. 10 and 11.
	Land broken soil 2nd rate.
	East on a random line between secs 2 and 11. Var 13°20' E.
40.00	Set post for temporary 1/4 sec corner
80.38	Intersect N and S line 29 links S of the cor to secs 1. 2. 11. & 12. From which cor 2 run
	S 89°48' West on a true line between secs 2 and 11 Var 13°20' E.
41.19	Set limestone 12 x 9 x 7 for a 1/4 sec corner.
80.38	The corner to sections 2. 3. 10 and 11.
	Land high and rolling soil 2nd rate.
	North on a random line between secs 2 and 3 Var 13°20' E.
20.00	Ravine bears S.W.
40.00	Set post for temporary 1/4 sec corner
79.40	Intersect N boundary of Township 15 links W of the cor to secs 2 & 3 From which cor 2 run
	S. 6' W. on a true line between secs 2 and 3. Var 13°20' E.
39.40	Set limestone 12 x 10 x 6 for a 1/4 sec corner
79.40	The corner to sections 2. 3. 10. and 11
	Land rolling soil 2nd rate.
	North between secs 33 and 34 Var 13°20' E
40.00	Set Limestone 12 x 10 x 5 for 1/4 sec corner.
80.00	Set limestone 14 x 10 x 4 for the cor to secs 27. 28. 33 and 34.
	Land rolling soil 2nd rate
	East on a random line between secs 27 and 34. Var 13°20' E.
40.00	Set post for temporary 1/4 sec cor.
79.84	Intersect the N and S line 15 links N of the cor to secs 26. 27. 34 & 35 From which cor 2 run

Township No 2 North Range 28 West of the 6th P.M.

Chains	
	N. 89° 54' W. on a true line between Sec. 27 and 34. Var. 13° 20' E.
39.92	Set limestone 12x12x5 for a 1/4 sec. corner.
79.84	The cor. to secs. 27. 28. 33 and 34. Land rolling soil 2nd Rate.
	North between Secs 27 and 28. Var 13° 20' E.
40.00	Set limestone 14x9x7 for a 1/4 sec. cor.
80.00	Set limestone 14x12x6 for the cor. to secs. 21. 22. 27 & 28. Land high and rolling soil 2nd rate. August 11. 1871
	East on a random line between secs. 22 and 27. Var. 13° 20' E.
40.00	Set post for temporary 1/4 sec. cor.
80.00	Intersect N. and S. line 10 links S. of the cor. to secs. 22. 23. 26 & 27 From which cor. I run S. 89° 56' W. on a true line between secs. 22 & 27 Var. 13° 20' E.
40.00	Set limestone 10x9x7 for 1/4 sec. corner.
80.00	The corner to secs. 21. 22. 27 and 28. Land rolling soil 2nd rate.
	North between sections 21 and 22. Var. 13° 20' E.
40.00	Set limestone 10x9x7 for a 1/4 sec. corner.
80.00	Set limestone 11x10x6 for the cor. to secs. 15. 16. 21 & 22. Land rolling soil 2nd rate.
	East on a random line between secs. 15 and 22 Var. 13° 20' E.
40.00	Set post for temporary 1/4 sec. corner
72.00	Ravine bears N.W. limestone in side of same
80.16	Intersect N. and S. line 22 links N. of the cor. to secs. 14. 15. 22 and 23. From which cor. I run N. 89° 51' W. on a true line between secs. 15 and 22 Var. 13° 20' E.
40.00	Set limestone 12x10x5 for a 1/4 sec. corner.
80.16	The corner to secs. 15. 16. 21 and 22. Land high rolling Prairie soil 2nd Rate.

Township No 2 North Range 28 West of the 6th P.M.

Chains	
	North between Secs 15 and 16 Var. 13° 20' E.
40.00	Set limestone 14x12x6 for a 1/4 sec. corner.
80.00	Set limestone 15x6x9 for the cor. to secs 9. 10. 15 and 16. Land high and rolling soil 2nd Rate.
	East on a random line between secs. 10 and 15 Var. 13° 20' E.
38.00	Ravine bears N.W.

County

County

Township No. Range 26 of P.M.



Cor. to secs. 3 & 4 From which cor. I run

Township No 2 North Range 28 W of the 6 P.M.

Chains	
	N. 89° 54' W. on a true line between Secs 27 and 34. Var 13° 20' E.
39.92	Set limestone 12x12x5 for a 1/4 sec corner.
79.84	The cor to secs 27. 28. 33 and 34. Land rolling soil 2nd Rate.
	North between Secs 27 and 28. Var 13° 20' E.
40.00	Set limestone 14x9x7 for a 1/4 sec cor.
80.00	Set limestone 14x12x6 for the cor to secs 21. 22, 27 & 28. Land high and rolling soil 2nd rate. August 11, 1871

Township No 2 North Range 28 West of the 6th P.M.

Chains	
	North between Secs 15 and 16. Var 13° 20' E.
40.00	Set limestone 14x12x6 for a 1/4 sec corner.
80.00	set limestone 15x5x9 for the cor to secs 9. 10. 15 and 16. Land high and rolling soil 2nd Rate.
	East on a random line between secs 10 and 15. Var 13° 20' E.
38.00	Ravine bears N.W.

County

Township No. Range 27 of P.M.

Town 1 Range 27 NORTH — Town 2 Range 27

5 P82	4	3	2	1	6 P59	5	4	3	2	1
8 P82	9	10	11	12						
17	16	15	14	13						
20 P73	21	22	23	24						
29 P70	28	27	26	25						
32	33	34	35	36						

Town 3 Range 27 — Town 4 Range 27 EAST

5	4 P13	3	2	1	6	5	4	3	2	1 39
8	9	10	11	12 P58	7	8	9	10	11	12 38
17	16	15	14	13						
20	21	22	23	24						
29	28	27	26	25						
32	33	34	35	36						

SOUTH



TOWN PLAT—6 INCH.—STATE JOURNAL Co., Publishers, Lincoln, Neb.

Var 13° 20' E.

40.00	Set post for temporary 1/4 sec corner.
78.82	Intersect the N. boundary of Township 28 hike W. of the Cor to secs 3 & 4 From which cor I run

Township No 2 North Range 28 West of the 6 P.M.

Chains	
	N. 89° 54' W. on a true line between Secs 27 & 34. Var 13° 20' E.
39.92	Set limestone 12x12x5 for a 1/4 sec corner.
79.84	The cor to secs 27. 28. 33 & 34. Land rolling soil 2nd Rate.
	North between Secs 27 & 28. Var 13° 20' E.
40.00	Set limestone 14x9x7 for a 1/4 sec cor.

Township No 2 North Range 28 West of the 6th P.M.

Chains	
	North between Secs 15 & 16 Var 13° 20' E.
40.00	Set limestone 14x12x6 for a 1/4 sec corner.
80.00	set limestone 15x6x9 for the cor to secs 9. 10. 15 & 16. Land high and rolling soil 2nd Rate.
	East on a random line between secs 10 & 15 Var 13° 20' E.
38.00	Ravine bears N.W.
40.00	Set post for temporary 1/4 sec corner.
80.20	Intersect N & S line at the cor to secs 10. 11. 14 & 15 From which corner I run W. on a true line between secs 10 & 15 Var 13° 20' E.
40.10	Set limestone 15x9x5 for a 1/4 sec corner.
80.20	The corner to secs 9. 10. 15 & 16. Land broken soil 2nd rate.
	North between secs 9 & 10 Var 13° 20' East.
10.00	Drop ravine bears N.W. with large of blue limestone on N side of ravine.
40.00	Set limestone 12x10x6 for a 1/4 sec corner
80.00	Set limestone 14x9x7 for the cor to secs 3. 4. 9 & 10. Land broken soil 2nd Rate.
	East on a random line between secs 3 & 10 Var 13° 20' E.
40.00	Set post for temporary 1/4 sec corner
61.00	Ravine bears South.
80.14	Intersect the N. & S. line 24 links S. of the cor to secs 2. 3. 10 & 11 From which cor I run S. 89° 50' W. on a true line between Secs 3 & 10 Var 13° 20' E.
40.07	Set limestone 12x9x5 for 1/4 sec corner.
80.14	The corner to secs 3. 4. 9 & 10. Land broken soil 2nd rate.
	North on a random line between secs 3 & 4. Var 13° 20' E.
40.00	Set post for temporary 1/4 sec corner.
78.82	Intersect the N. boundary of Township 28 links W. of the cor to secs 3 & 4 From which cor I run

Township No 2 North Range 28 West of the 6th

Chains	
	E. 12' N. on a true line between Secs 3 and 4
	Var 13° 20' E.
38.82	Set limestone 14x9x7 for a 1/4 sec corner.
78.82	The corner to secs 3. 4. 9 & 10.
	Land high rolling Prairie soil 2nd rate.
	North between secs 32 and 33.
	Var 13° 20' E.
40.00	Set limestone 11x10x6 for 1/4 sec Corner.
80.00	Set limestone 12x9x7 for the Cor. to secs 28. 29. 32 & 33.
	Land high & rolling Prairie soil 2nd rate.
	East on a random line between Secs 28 & 33.
	Var 13° 20' E.
28.00	Ravine bears S.E. sandstone in banks near bed
40.00	Set post for temporary 1/4 sec corner.
80.09	Intersect the N. & S. line 24 links N. of the corner to secs 27. 28. 33 & 34 From which corner 8 mn
	N. 89° 50' W. on a true line between secs 28 & 33.
	Var 13° 20' E.
40 04½	Set limestone 10x9x7 for a 1/4 sec corner
80.09	The corner to secs 28. 29. 32 & 33.
	Land somewhat broken soil 2nd rate.
	North between sections 28 and 29.
	Var 13° 20' E.
20.00	Ravine bears East.
38.00	Ravine bears S.E. in both these ravines there is an abundance of Sandstone
40.00	Set Sandstone 16x12x8 for a 1/4 sec cor.
80.00	Set a sandstone 16x14x8 for the Cor. to secs 20. 21. 28 & 29
	Land very broken soil 3d rate.
	East on a random line between Secs 21 & 28
	Var 13° 20' E.
18.00	Ravine bears South
40.00	Set post for temporary 1/4 sec corner.
80.12	Intersect N. & S. line at the corner to secs 21. 22. 27 & 28. From which Cor. 8 mn
	West on a true line between Secs 21 and 28.
	Var 13° 20' East.

Township No 2 N Range 28 West of the 6th P.M.

Chains	
40.06	Set a sandstone 10x10x9 for a 1/4 sec corner.
80.12	The corner to sections 20. 21. 28 and 29.
	Land rolling soil 3d rate.
	North between sections 20 and 21.
	Var 13° 20' East.
38.00	Ravine bears S.E.
40.00	Set a sandstone 12x10x7 for a 1/4 sec corner.
80.00	Set a sandstone 12x12x8 for the corner to sections 16. 17. 20. and 21.
	Land broken soil 3d rate.
	August 12. 1871
	East on a random line between secs 16 and 21
	Var 13° 20' East.
40.00	Set post for temporary 1/4 sec corner.
79.98	Intersect N and S line 26 links south of the corner to sections 15. 16. 21 and 22 From which corner 8 mn.
	S. 89° 49' West on a true line between secs 16. 21.
	Var 13° 20' East.
39.99	Set a sandstone 10x9x7 for 1/4 sec corner
79.98	The corner to sections 16. 17. 20 and 21.
	Land rolling soil 2nd rate.
	North between sections 16 and 17
	Var 13° 20' East
40.00	Set sandstone 10x10x8 for 1/4 sec corner
80.00	Set a sandstone 12x10x8 for the corner to sections 8. 9. 16. & 17.
	Land high rolling prairie soil 2nd rate.
	East on a random line between secs 9 and 16.
	Var 13° 20' East.
40.00	Set post for temporary 1/4 sec corner.
80.00	Intersect N & S line 17 links North of the corner to secs 9. 10. 15. & 16. From which corner 8 mn
	North 89° 53 West on a true line between sections 9 and 16
	Var 13° 20' East.

Township No 2 N. Range 28 East of the 6th

Chains	
40.00	Set sandstone 12 x 9 x 7 for a 1/4 sec corner
80.00	The corner to sections 8, 9, 16 and 17.
	Land broken Soil 2nd rate.
	North between Secs 8 and 9
	Var 13. 20. East
30.00	Deep Ravine bears W and N.W. Edge of limestone in sides
40.00	Set a limestone 12 x 12 x 5 for a 1/4 Sec corner.
62.00	Ravine bears S.W.
80.00	Set a limestone 12 x 12 x 6 for the cor to sections 4. 5. 8 and 9.
	Land broken soil 2nd rate.
	East on a random line between Secs 4 and 9
	Var 13° 20' East.
17.00	Ravine bears S.W.
40.00	Set post for temporary 1/4 Sec corner.
80.23	Intersect the N and S line 15 links South of the corner to sections 3. 4. 9 and 10.
	From which corner I run
	S 89° 54 West on a true line between secs 4 and 9.
	Var 13° 20' East.
41 11½	Set a limestone 12 x 10 x 5 for 1/4 sec corner
80 23	The corner to sections 4. 5. 8. 9.
	Land rolling soil 2nd rate.
	North on a random line between Secs 4 and 5
	Var 13° 20' East.
41.00	Set post for temporary 1/4 sec corner.
78.32	Intersect the North boundary of Township 35 links west of the corner to sections 4 and 5 From which cor I run
	S 15' West on a true line between secs 4 and 5
	Var 13° 20' East.
38.32	Set a limestone 14 x 12 x 5 for a 1/4 section corner.
78.32	The corner to sections 4. 5. 8. and 9.
	Land rolling Soil 2nd rate.
	August 13th 1871

Township No 2 N. Range 28 E of the 6th P.M.

Chains	
	North between sections 31 and 32.
	Var 13° 20' East.
22.00	Ravine bears N.E.
40.00	Set sandstone 10 x 9 x 7 for a 1/4 sec corner.
80.00	Set sandstone 12 x 12 x 5 for the corner to sections 29. 30. 31. and 32.
	Land rolling soil 2nd rate.
	East on a random line between secs 29 and 32.
	Var 13° 20' East.
38.00	Ravine bears N.E.
40.00	Set post for temporary 1/4 sec corner.
79.90	Intersect N + S line 19 links south of the corner to sections 28. 29. 32 and 33.
	From which corner I run
	S 89° 52' West on a true line between Secs 29 + 32.
	Var 13° 20' East.
39.95	Set sandstone 10 x 9 x 7 for a 1/4 sec corner
79.90	The corner to sections 29. 30. 31 and 32.
	Land rolling soil 2nd rate.
	West on a random line between secs 30 and 31.
	Var 13° 20' E.
40.00	Set post for temporary 1/4 sec corner.
80.10	Intersect west boundary of Township 15 links North of the corner to sections 30 and 31. From which corner I run
	S 89° 54' East on a true line between Secs 30 and 31
	Var 13° 20' East.
40.10	Set sandstone 12 x 10 x 8 for a 1/4 sec corner.
80.10	The corner to sections 29. 30. 31 and 32.
	Land rolling soil 2nd rate
	North between sections 29 and 30.
	Var 13° 20' E.
40.00	Set a sandstone 12 x 12 x 6 for a 1/4 Sec corner
80.00	Set a sandstone 14 x 12 x 5 for the corner to sections 19. 20. 29 and 30.
	Land high rolling Prairie soil 2nd rate

Township No 2 North Range 28 West of the 6th P.M.

Chains	
	East on a random line between secs 20 and 29
	Var 13° 20' E
37.00	Ravine bears S.E.
40.00	Set post for temporary 1/4 sec corner.
79.93	Intersect N and S line 22 links north of the corner to sections 20. 21. 28 and 29. From which corner I run
	N 89° 51' West on a true line between secs 20 and 29
	Var 13° 20' E.
39.96½	Set sandstone 10 x 9 x 7 for 1/4 sec corner.
79.93	The corner to sections 19. 20. 29 and 30.
	Land high rolling prairie soil 2nd rate.
	West on a random line between secs 19 and 30.
	Var 13° 20' E.
40.00	Set post for temporary 1/4 sec corner.
89.18	Intersect west boundary of the Township 8 links north of the corner to sections 19 and 30. From which corner I run
	N 89° 57' East on true line between secs 19 and 30
	Var 13° 20' E.
40.18	Set a sandstone 14 x 12 x 4 for a 1/4 sec corner.
80.18	The corner to sections 19. 20. 29 & 30.
	Land Rolling soil 2nd rate.
	North between Secs 19. and 20.
	Var 13° 20' East.
17.00	Ravine bears S.E.
40.00	Set a sandstone 10 x 9 x 7 for a 1/4 sec corner
80.00	Set a sandstone 12 x 10 x 6 for the corner to sections 17. 18. 19 and 20.
	Land rolling soil 2nd rate.
	East on a random line between secs 17 and 20
	Var 13° 20' E.
40.00	Set post for temporary 1/4 sec corner
79.80	Intersect the N and S line 17 links North of the corner to sections 16. 17 and 20. 21
	N. 89° 53' W on a true line bet. Secs. 17 & 20. from which cor I run Var 13° 20' East.
39.90	Set a sandstone 12 x 10 x 6 for a 1/4 sec corner
79.80	The corner to sections 17. 18. 19 and 20
	Land rolling soil 2nd Rate.

Township No 2 North Range 28 West 6th P.M.

Chains	
	West on a random line between secs 18 and 19
	Var 13° 20' E.
40.00	Set post for temporary 1/4 sec corner.
79.84	Intersect the west boundary of Township at the corner to sections 18 and 19
	From which corner I run
	East on a true line between secs 18 and 19
	Var 13° 20' E.
39.84	Set sandstone 12 x 12 x 5 for 1/4 sec corner.
79.84	The corner to secs 17. 18. 19 and 20.
	Land rolling soil 2nd rate.
	Aug 14. 1871
	North between sections 17. and 18.
	Var 13° 20' E.
40.00	Set sandstone 14 x 9 x 7 for 1/4 sec corner.
80.00	Set sandstone 15 x 10 x 4 for the cor to secs 7. 8. 17 and 18.
	Land high rolling Prairie Soil 2nd rate.
	East on a random line between secs 8 and 17
	Var 13° 20' E.
40.00	Set post for temporary 1/4 sec corner.
79.90	Intersect N. and S. line 24 links South of the corner to sections 8. 9. 16 and 17.
	From which corner I run
	S. 89° 50' W. on a true line between secs 8 and 17.
	Var 13° 20' E.
39.95	Set sandstone 12 x 11 x 7 for 1/4 sec. cor.
79.90	The corner to secs 7. 8. 17. and 18.
	Land rolling soil 2nd Rate.
	West on a random between secs 7 and 18
	Var 13° 20' E.
40.00	Set post for temporary 1/4 sec corner.
79.74	Intersect the W. boundary of Township 15 links N. of the corner to secs 7 and 18
	N. 89° 54' East on true line bet Secs. 7 & 18 from which cor I run Var 13° 20' E.
39.74	Set a sandstone 10 x 9 x 7 for a 1/4 sec corner.
79.74	The corner to secs 7. 8. 17 and 18.
	Land high and rolling soil 2nd rate

Township No 2 North Range 28 W. 6th P.M.

Chains	
	North between secs 7 and 8 Var 13° 20' E
38.00	Deep ravine bears East descends West. limestone lays in side of ravine
40.00	Set a limestone 16x12x3 for 1/4 sec corner.
80.00	Set a limestone 15x13x4 for the corner to sections 5, 6, 7 and 8.
	Land rolling soil 2nd rate.
	East on a random line between secs 5 & 8 Var 13° 20' E.
40.00	Set post for temporary 1/4 sec corner.
79.72	Intersect N. and S. line 12 links N. of the corner to secs 4, 5, 8 & 9. from which corner I run
	N. 89° 55' W. on a true line between secs 5 and 8 Var 13° 20' East
39.86	Set limestone 14x12x6 for 1/4 sec corner.
79.72	The corner to secs 5, 6, 7 and 8.
	Land rolling soil 2nd rate.
	West on a random line between secs 6 & 7 Var 13° 20' E.
40.00	Set post for temporary 1/4 sec corner.
79.60	Intersect W. boundary of Township 20 links North of the corner to secs 6 and 7 from which corner I run
	N. 89° 57' E. on a true line between secs 6 and 7 Var 13° 20' E.
39.60	Set a limestone 14x12x4 for a 1/4 sec corner.
79.60	The corner to secs 5, 6, 7 and 8.
	Land rolling soil 2nd rate.
	North on a random line between secs 5 & 6 Var 13° 20' E.
40.00	Set post for temporary 1/4 sec corner.
77.40	Intersect the N. boundary of the Township 47 links West of the C. to sec 5 & 6 from which corner I run
See note	S. 20' W. on a true line between secs 5 & 6 Var 13° 20' E
37.40	Set a limestone 12x9x7 for 1/4 sec corner
77.40	The corners to secs 5, 6, 7 and 8.

Township No 2 North Range 28 West of the 6th P.M.

Note:

The line falling 200 links short of 80 chains the distance given for length of line between secs 1 & 6. I therefore begin at the cor to Townships 2 and 3 North Range 28 and 29 W. and with a Var of 13° 20' E. I run and measured South on Range line at 36 chains to a point 15 links W. of the 1/4 sec cor. 76 chains to a point 8 links W. of the corner to secs 1, 6, 7 and 12 where I find the line between secs 1 and 6 to be 4 chains short.

Aug 15, 1871

General Description

The land in this Township is generally high rolling Prairie interspersed with deep ravines with an abundance of limestone and sandstone found in sides of deep ravines.

The soil is about second rate No water or timber of note.

U. S. Surveyor Genl. Office
Plattsmouth Neb. May 26th 1871

I certify that the foregoing transcript of the field notes of the Survey & Subdivision of Township No 2 North of the Base Line of Range No 28 West of the 6th PM. Executed by Geo. W. Fairfield Deputy Surveyor under contract No 48 dated June 17th 1871, in the State of Nebraska has been correctly copied from the original notes on file in this office.

Geo. D. Smith
Surveyor General.

3

Comps.
S + P.

FIELD NOTES
OF
THE SURVEY AND SUBDIVISION
OF
TOWNSHIP NO 5 NORTH RANGE 28
WEST OF 6TH PM.
XN. NEBRASKA.

EXECUTED BY

GEO W FAIRFIELD DEPUTY SURVEYOR
UNDER ~~[illegible]~~ CONTRACT No 48 DATED JUNE 17
1871

SURVEY

COMMENCED AUG 18. 1871
COMPLETED AUG. 25. 1871

LIST OF NAMES
AND DUTIES OF ASSISTANTS

Wm L WELLS	CHAINMAN
EMMETT H. SPRAGUE	CHAINMAN
FRANK L MATHER	MOUNDMAN
Wm E RANDALL	FLAGMAN.