Index To

Survey No. 2

INDEX VOL. 2.

I. SUBDIVISIONS TOWNS 1 & 4 N. RANGE 28 W.
II. " " " 1 & 4 N. " 29 W.
III. " " " 1 & 4 N. " 30 W.

FIELD NOTES

OF

THE SURVEY AND SUBDIVISION

OF

TOWNSHIP No. 1 NORTH OF BASE LINE

OF

RANGE No. 28 WEST OF THE 6th P. M.

IN NEBRASKA.

EXECUTED BY

GEO. W. FAIRFIELD DEPUTY SURVEYOR

UNDER CONTRACT No. 45 DATED JUNE 17, 1871.

SURVEY.

COMMENCED AUG. 7, 1871

COMPLETED AUG. 11, 1871

LIST OF NAMES

AND DUTIES OF ASSISTANTS.

WM. L. WELLS. CHAINMAN

FRANK L. MATHER MOUNDMAN

WM. E. RHNOALL FLAGMAN

GEO. W. FAIRFIELD COMPASSMAN

Comp.d
S+P

-FIELD-NOTES-
~ OF ~
THE SURVEY AND SUBDIVISION
~ of ~
TOWNSHIP No. 2 NORTH OF THE BASE LINE
~ OF ~
RANGE No 29 WEST OF THE 6TH P. M.
~ Nebraska ~

-EXECUTED-
BY
THOMAS J. MILNER DEPUTY SURVEYOR
UNDER JOINT CONTRACT No. 57 DATED JUNE 26th 1872.

SURVEY.

Commenced July 25. 1872.
Completed. July 29. 1872.

LIST OF NAMES
AND DUTIES OF ASSISTANTS.

Julius Hines	Chainman.
Wm. Cunningham.	Chainman
F. E. Ronds	Moundman
Jasper. Clawson.	Moundman.

INDEX DIAGRAM

REFERRING THE LINES TO THE PAGES OF THE FIELD NOTES.



OWNSHIP No 2 NORTH RANGE No. 29 WEST OF 6TH P.M.

CHAINS

I determined the proper adjustment of my compass for subdividing this Township I commenced at the corner to Townships 1 and 2 North Ranges 28 and 29 West and run

North on a blank line along the East boundary of Section 36.

Variation 13° 10' East

40.00 I set gn. Section Corner

80.10 I set a point 12 links East of corner to Sections 25 and 36.

To retrace this line or run parallel thereto my compass must be adjusted to a

Variation of 13°15' East

Subdivision Commenced July 25th 1872.

From the corner to Sections 35 and 36 on the South boundary of Township I run

North between Sections 35 and 36.

Va. 13°15' East

40.00 Set post deposited charred stake raised mound of earth with pits as per instructions for gn. sec. Cor.

80.00 Set post deposited charred stake raised mound of earth with pits as per instructions for corner to Sections 25. 26. 35 and 36.

Land rolling prairie Soil 2d rate.

East on a random line between Sections 25 and 36.

Va. 13°15' East.

40.00 Set post for temporary gn. sec. Cor.

80.24 Intersect East boundary of Township at corner to Sections 25 and 36 from which corner I run

West on a true line between Sections 25 and 36.

Va. 13°15' East.

TOWNSHIP No. 2 NORTH RANGE No. 29 WEST OF THE 6TH P.M.

chains	
40.12.	Set post deposited charred stake raised mound of earth with pits as per instructions for gn. sec. cor.
80.24	The corner to sections 25. 26. 35 & 36. Land high rolling prairie. Soil 2d rate.
	North between sections 25 and 26. Va. 13°15' East.
40.00	Set post deposited charred stake raised mound of earth with pits as per instructions for gn. sec. cor.
80.00	Set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 23. 24. 25 and 26. Land high rolling prairie. Soil good 2d rate
	East on a random line between sections 24 and 25. Va. 13°15' East.
40.00	Set post for temporary gn. sec. cor.
60.00	Cross small ravine N.E.
80.09	Intersect East boundary of Township 37 links North of corner to sections 24 and 25 from which corner I run. North 89°44' West on a true line between sections 24 and 25. Va. 13°15' East.
40.04½	Set post deposited charred stake raised mound of earth with pits as per instructions for gn. sec. cor.
80.09	The corner to sections 23. 24. 25 and 26. Land rolling prairie. Soil 2d rate.
	North between sections 23 and 24 Va. 13°15' East.
40.00	Set post deposited charred stake raised mound of earth with pits as per instructions for gn. sec. cor.
80.00	Set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 13. 14. 23 and 24. Land high rolling prairie partly broken interior of sections 24. Soil 2d rate

TOWNSHIP No. 2 NORTH RANGE No. 29 WEST OF THE 6TH P.M.

chains	
	East on a random line between sections 13 and 24. Va. 13°15' East.
40.00	Set post for temporary gn. sec. cor.
80.16	Intersect East boundary of Township 13 links North of post corner to sections 13 and 24 from which corner I run North 89°54' West on a true line between sections 13 and 24 Va. 13°15' East.
40.08	Set post deposited charred stake raised mound of earth with pits as per instructions for gn. sec. cor.
80.16	The corner to sections 13. 14. 23 and 24. Land rolling prairie Soil 2d rate.
	North between sections 13 and 14. Va. 13°15' East.
21.00	Ravine descends North East.
39.00	Cross small ravine course N.E.
40.00	Set post deposited charred stake raised mound of earth with pits as per instructions for gn. sec. cor.
80.00	Set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 11. 12. 13 and 14. Land broken prairie & hilly Soil 2d rate.
	East on a random line between sections 12 and 13. Va. 13°15' East.
40.00	Set post for temporary gn. sec. cor.
69.50	Cross ravine course N.W.

TOWNSHIP No. 2 NORTH RANGE No. 29 WEST OF THE 6TH

Chains	
80.02	Intersect East boundary of Township 27 lks North of post corner to Secs. 12 and 13 from which corner I run.
	North 89° 48' West on a true line between Sections 12 and 13. Va. 13° 15' East.
40.01	Set post deposited charred stake raised mound of earth with pits as per instructions for gr. sec. cor.
80.02	The corner to Sections 11. 12. 13 and 14 Land broken Soil 2d rate. Not desirable form lands.
	North between Sections 11 and 12. Va. 13° 15' East
12.50	Cross ravine course N.W.
31.70	Ravine course N.W.
40.00	Set post deposited charred stake raised mound of earth with pits as per instructions for gr. sec. cor.
57.00	Ravine course N.W.
80.00	Set post deposited charred stake raised mound of earth with pits as per instructions for corner to Sections 1. 2. 11 and 12. Land broken unfit for cultivation Soil 3d rate
	East on a random line between Sections 1 and 12. Va. 13° 15' East
27.00	Cross deep ravine course N.W.
40.00	Set post for temporary gr. sec. cor.
80.00	Intersect East boundary of Township 22 links North of corner to Sections 1 and 12 from which corner I run
	North 89° 51' West on a true line between Sections 1 and 12. Va. 13° 15' East
40.00	Set post deposited charred stake raised

TOWNSHIP No. 2 NORTH RANGE No. 29 WEST OF THE 6TH P.M.

Chains	
	mound of earth with pits as per instructions for gr. sec. cor.
80.00	The corner to Sections 1. 2. 11 and 12. Land broken prarie Soil 3d rate.
	North on a random line between Sections 1 and 2. Va. 13° 15' East
40.00	Set post for temporary gr. sec. cor.
65.00	Ravine course N.W.
80.76	Intersect North boundary of Township at Limestone corner to Sections 1 and 2 from which corner I run.
	South on a true line between Sections 1 and 2. Va. 13° 15' East
40.76	Set post deposited charred stake raised mound of earth with pits as per instructions for gr. sec. cor.
80.76	The corner to Sections 1. 2. 11 and 12. Land broken with deep short ravines Soil 3d rate. Republican River brakes. July 25th 1872.
	North between Sections 34 and 35. Va. 13° 15' East
40.00	Set post deposited charred stake raised mound of earth with pits as per instructions for gr. sec. cor.
51.40	Enter Swail
60.00	Leave Swail
80.00	Set post deposited charred stake raised mound of earth with pits as per instructions for corner to Sections 26. 27. 34 and 35 Land gently rolling prarie Soil 2d rate. Desirable form lands.
	East on a random line between Sections 26 and 35.

TOWNSHIP No. 2 NORTH RANGE No. 29 WEST OF THE

Chains	
	Va. 13°15' East.
40.00	Set post for temporary gn. sec. cor.
80.44	Intersect North and South line at post corner to sections 25. 26. 35 & 36 from which corner I run
	West on a true line between sections 26. and 35
	Va. 13°15' East.
40.22	Set post deposited charred stake raised mound of earth with pits as per instructions for gn. sec. cor.
80.44	The corner to sections 26. 27. 34 and 35
	Land high rolling prairie soil 2d rate.
	North between sections 26. and 27.
	Va. 13°15' East.
40.00	Set post deposited charred stake raised mound of earth with pits as per instructions for gn. sec. cor.
80.00	Set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 22. 23. 26. and 27.
	Land high rolling prairie soil good 1st rate.
	East on a random line between sections 23 and 26.
	Va. 13°15' East.
40.00	Set post for temporary gn. sec. cor.
80.38	Intersect North and South line 20 lks. North of post corner to sections 23. 24. 25 and 26 from which corner I run
	North 89°51' West on a true line between sections 23 and 26.
	Va. 13°15' East.
40.19	Set post deposited charred stake raised mound of earth with pits as per instructions for gn. sec. cor.
80.38	The corner to sections 22. 23. 26 & 27

TOWNSHIP No. 2 NORTH RANGE No. 29 WEST OF THE 6TH P.M.

Chains	
	Land rolling prairie soil 2d rate.
	North between sections 22 and 23
	Va. 13°15' East.
40.00	Set post deposited charred stake raised mound of earth with pits as per instructions for gn. sec. cor.
80.00	Set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 14. 15. 22 and 23
	Land high rolling prairie soil 2d rate
	East on a random line between sections 14 and 23.
	Va. 13°15' East.
24.00	Cross ravine N.E.
40.00	Set post for temporary gn. sec. cor.
49.50	Cross ravine course N.W.
79.86	Intersect North and South line at post corner to sections 13. 14. 23 and 24 from which corner I run
	West on a true line between sections 14 and 23
	Va. 13°15' East.
39.93	Set post deposited charred stake raised mound of earth with pits as per instructions for gn. sec. cor.
79.86	The corner to sections 14. 15. 22 and 23
	Land high rolling prairie soil 2d rate
	North between sections 14 and 15.
	Va. 13°15' East.
40.00	Set post deposited charred stake raised mound of earth with pits as per instructions for gn. sec. cor.
49.00	Cross ravine course N.E.
80.00	Set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections

TOWNSHIP No. 2 NORTH. RANGE No. 29 WEST OF THE 6TH

Chains	
	10. 11. 14 and 15
	Land high rolling prairie Soil 3rd rate
	East on a random line between Sections 11 and 14. Va. 13°15' East.
40.00	Set post for temporary qr. sec. cor.
51.50	Ravine Course N.E.
79.86	Intersect North and South line 34 links North of post corner to Sections 11. 12. 13 and 14 from which corner I run
	North 89° 45' West on a true line between Sections 11 and 14 Va. 13°15' East.
39.93	Set post deposited charred stake raised mound of earth with pits as per instructions for qr. sec. cor.
79.86	The corner to Sections 10. 11. 14 and 15 Land broken prairie Soil 3rd rate. Republican River Broken.
	North between Sections 10 and 11 Va. 13°15' East
40.00	Set post deposited charred stake raised mound of earth with pits as per instructions for qr. sec. cor.
	line follows divide
80.00	Set post deposit charred stake raised mound of earth with pits as per instructions for corner to Sections 2. 3. 10 and 11
	Land rolling and broken prairie Soil 3rd Rate.
	East on a random line between Sections 2 and 11 Va. 13°15' East
14.30	Cross Ravine Course N.E.
40.00	Set post for temporary qr. sec. cor.

NSHIP No. 2 NORTH. RANGE No. 29 WEST OF THE 6TH P.M.

Chains	
59.70	Ravine Course N.E.
79.90	Intersect North and South line 32 links North of post corner to Sections 1. 2. 11 and 12 from which corner I run
	North 89° 46' West on a true line between Sections 2 and 11 Va. 13°15' East
39.95	Set post deposited charred stake raised mound of earth with pits as per instructions for qr. sec. cor.
79.90	The corner to Sections 2. 3. 10 and 11 Land broken River Bluffs Soil 3rd rate.
	North between Sections 2 and 3 on a random line Va. 13°15' East.
40.00	Set post for temporary qr. sec. cor.
47.00	Cross Bluff and enter River bottom
80.74	Intersect North boundary of Township at limestone corner to Sections 2 and 3. from which corner I run
	South on a true line between Sections 2 and 3. Va. 13°15' East
40.74	Set post deposited charred stake raised mound of earth with pits as per instructions for qr. sec. cor.
80.74	The corner to Sections 2. 3. 10 and 11 Land in bluffs broken in bottom River. July 26th 1872.
	North between Sections 33 and 34 Va. 13°15' East
40.00	Set post deposited charred stake raised mound of earth with pits as per instructions for qr. sec. cor.
80.00	Set post deposited charred stake raised mound of earth with pits as per instructions for corner to

TOWNSHIP No. 2 NORTH RANGE No. 29 WEST OF THE 6TH

Chains	
	Sections 27. 28. 33. and 34.
	Land rolling prairie Soil 2d rate.
	East on a random line between Sections 27 and 34. Va. 13°15' East.
28.50	Cross ravine course N. W.
40.00	Set post for temporary qr. sec. cor.
57.30	Ravine course N. W.
79.82.	Intersect East boundary of Township at post corner to Sections 26. 27. 34 and 35 from which corner I run
	West on a true line between Sections 27 and 34 Va. 13°15' East.
39.91.	Set post deposites charred stake raised mound of earth with pits as per instructions for qr. sec. cor.
79.82.	The corner to Sections 27. 28. 33 & 34.
	Land rolling prairie partly broken at Western part Soil 2d rate.
	North between Sections 27 and 28. Va. 13°15' East.
19.70	Ravine course N.W.
40.00	Set post deposites charred stake raised mound of earth with pits as per instructions for qr. sec. cor.
49.00	Ravine course N.W.
80.00	Set post deposites charred stake raised mound of earth with pits as per instructions for corner to Sections 21. 22. 27 and 28.
	Land rolling prairie Soil good 2d quality
	East on a random line between Sections 22 and 27. Va. 13°15' East.
14.00	Cross ravine course N.W.

TOWNSHIP No. 2 NORTH RANGE No. 29 WEST OF THE 6TH P.M.

Chains	
40.00	Set post for temporary qr. sec. cor.
80.00	Intersect North and South line 24 links North of post corner to Sections 22. 23. 26 and 27 from which corner I run
	North 89°50' West on a true line between Sections 22 and 27 Va. 13°15' East.
40.00	Set post deposites charred stake raised mound of earth with pits as per instructions for qr. sec. cor.
80.00	The corner to Sections 21. 22. 27 & 28
	Land rolling prairie Soil 2d rate.
	North between Sections 21 and 22. Va. 13°15' East.
28.70	Ravine course N.W.
40.00	Set post deposites charred stake raised mound of earth with pits as per instructions for qr. sec. cor.
80.00	Set post deposites charred stake raised mound of earth with pits as per instructions for corner to Sections 15. 16. 21 and 22.
	Land rolling prairie Soil 2d rate.
	East on a random line between Sections 15 and 22. Va. 13°15' East.
37.80	Ravine course N.E.
40.00	Set post for temporary qr. sec. cor.
79.97.	Intersect North and South line 40 links North of post corner to Sections 14. 15 22 and 23 from which corner I run
	North 89°43' West on a true line between Sections 15 and 22. Va. 13°15' East.
39.98½	Set post deposites charred stake raised mound of earth with pits as per instructions for

TOWNSHIP No. 2 NORTH RANGE No. 39 WEST OF THE 6

Chains	
	gn. section corner
79.97	The corner to sections 15. 16. 21. and 22. Land high rolling prairie Soil 2d rate.
	North between sections 15 and 16. Va. 13° 15' East
40.00	Set post Deposited charred stake raised mound of earth with pits as per instructions for gn. sec. cor.
80.00	Set post Deposit charred stake raised mound of earth with pits as per instructions for corner to sections 9. 10. 15 and 16. Land rolling prairie Soil 2d rate fit for forming interest of the best quality.
	East on a random line between sections 10 and 15 Va. 13° 15' East
29.00	Pawnee course N. E.
40.00	Set post for temporary gn. sec. cor.
80.12	Intersect North and South line 34 links North of post corner to sections 10. 11. 14 and 15 from which cor. I run: North 89° 45' West on a true line bet. sections 10 and 15 Va. 13° 15' East
40.00	Set post Deposited charred stake raised mound of earth with pits as per instructions for gn. sec. cor.
80.12	The corner to sections 9. 10. 15 and 16. Land broken prairie Soil 2d rate
	North between sections 9 and 10. Va. 13° 15' East
20.38	Pawnee course S.E.
40.00	Set post, raised mound of earth with pits as per instructions for gn. sec. cor.

TOWNSHIP No. 2 NORTH RANGE No. 39 WEST OF THE 6TH P.M.

Chains	
5.00	Set post Deposited charred stake raised mound of earth with pits as per instructions for corner to sections 3. 4. 9 and 10. Land broken with deep short ravines Republican River Broken Soil 3d rate.
	East on a random line between sections 3 and 10. Va. 13° 15' East
31.40	Cross Ravine with scattering timber course North
40.00	Set post for temporary gn. sec. cor.
80.36	Intersect North and South line at corner to sections 2. 3. 10 and 11 from which corner I run West on a true line between sections 3 and 10 Va. 13° 15' East.
46.18	Set post Deposited charred stake raised mound of earth with pits as per instructions for gn. sec. cor.
80.36.	The corner to sections 3. 4. 9 and 10. Land rolling prairie Soil 2d rate.
	North on a random line between sections 3 and 4 Va. 13° 15' East
3.00	Leave bluffs and enter river bottom
40.00	Set post for temporary gn. sec. cor.
80.48.	Intersect North boundary of Township 22. links East of limestone corner to sections 3 and 4 from which corner I run South 9 East on a true line between sections 3 and 4 Va. 13° 15' East
40.48	Set post Deposited charred stake raised mound of earth with pits as per instructions for gn. sec. cor.

TOWNSHIP No. 2 NORTH RANGE No. 29 WEST OF THE 6TH P.M.

Chains	
80.48	The corner to sections 3, 4, 9 and 10. Land level bottom. Republican River Bluffs on the South side of Sec. 3. Soil 1st rate. July 27th 1872.
	North between sections 33 and 34. Va. 13°15' East
27.00	Cross ravine course N. E.
40.00	Set post deposited charred stake raised mound of earth with pits as per instruction for gn. sec. cor.
63.70	Ravine course N. W.
80.00	Set post deposited charred stake raised mound of earth with pits as per instructions for corner to secs. 28, 29, 32 and 33. Land rolling prairie Soil 2d rate.
	East on a random line between sections 28 and 33. Va. 13°15' East
29.34	Ravine course North
40.00	Set post for temporary gn. sec. cor.
79.82	Intersect North and South line 42 lks North of post corner to sections 27, 28, 33 and 34 from which corner I run
	North 89°42' West on a true line between sections 28 and 33. Va. 13°15' East
39.91	Set post deposit charred stake raised mound of earth with pits as per instructions for gn. sec. cor.
79.82	The corner to sections 28, 29, 32 & 33. Land rolling prairie Soil 2d rate.
	North between sections 28 and 29. Va. 13°15' East
40.00	Set post deposited charred stake raised mound of earth with pits

TOWNSHIP No. 2 NORTH RANGE No 29 WEST OF THE 6TH P.M.

Chains	
	as per instructions for gn. sec. cor.
80.00	Set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 20, 21, 28 and 29. Land rolling prairie Soil 2d rate.
	East on a random line between sections 21 and 28. Va. 13°15' East
40.00	Set post for temporary gn. sec. cor.
46.70	Ravine course N. W.
71.80	Ravine course N. W.
79.74	Intersect North and South line 30 lks South of post corner to sections 21, 22, 27 and 28 from which corner I run
	South 89°47' West on a true line bet. sections 21 and 28. Va. 13°15' East
39.57	Set post deposited charred stake raised mound of earth with pits as per instructions for gn. sec. cor.
79.74	To the corner to sections 20, 21, 28 and 29 Land rolling prairie Soil 2d rate.
	North between sections 20 and 21 Va. 13°15' East
40.00	Set post deposited charred stake raised mound of earth with pits as per instructions for gn. sec. cor.
80.00	Set post deposited charred stake raised mound of earth with pits as per instructions for corner to secs. 16, 17, 20 and 21. Land rolling prairie Soil 2d rate.
	East on a random line between sections 16 and 21. Va. 13°15' East
40.00	Set witness for temporary gn. sec. cor.

TOWNSHIP No. 2 NORTH RANGE No. 29 WEST OF THE 6TH P.M.

Chains	
42.80	Ravine course North
80.70	Intersect North and South line 42 lks. North of post corner to sections 15. 16. 21 and 22 from which corner I run
	North 89° 42' West on a true line between sections 16 and 21 Va. 13° 15' East.
40.35	Set post deposited charred stake raised mound of earth with pits as per instructions for gr. sec. cor. limestone being of shelly and soft substance I reset it.
80.70	The corner to sections 16. 17. 20 and 21 Land rolling prairie soil good 2d rate.
	North between sections 16 and 17. Va. 13° 15' East.
40.00	Set limestone 12 x 14 x 9 in. for gr. sec. cor.
49.10	Cross dry branch with timber on a large steep ravine
80.00	Set post deposited charred stake raised mound of earth with pits as per instructions for corner to secs 8. 9. 16 and 17 Land rolling prairie soil 2d rate.
	East on a random line between sections 9 and 16. Va. 13° 15' East.
40.00	Set post for temporary gr. sec. cor.
44.40	Cross ravine on dry branch
79.96	Intersect North and South line 63 lks South of post corner to sections 9. 10. 15. and 16 from which corner I run
	South 89° 33' West on a true line between sections 9 and 16. Va. 13° 15' East.
39.98	Set post deposited charred stake raised mound of earth with pits as

TOWNSHIP No. 2 NORTH RANGE No. 29 WEST OF THE 6TH P.M.

Chains	
	for instructions for gr. sec. cor.
79.96	The corner to sections 8. 9. 16 and 17 Land rolling prairie soil 2d rate.
	North between sections 8 and 9 Va. 13° 15' East.
40.00	Set post deposited charred stake raised mound of earth with pits as per instructions for gr. sec. cor.
52.00	Cross ridge of limestone
55.00	Leave Bluff and enter river bottom
80.00	Set limestone 16 x 12 x 8 in. for cor. to secs. 4. 5. 8 and 9 Land broken prairie in south part North 25 chains level bottom soil 1st and 3d rate.
	East on a random line between sections 4 and 9 Va. 13° 15' East.
40.00	Set limestone for temporary gr. sec. cor.
80.10	Intersect North and South line 34 lks North of post corner to sections 3. 4. 9 and 10 from which cor I run
	North 89° 45' West on a true line between sections 4 and 9 Va. 13° 15' East
40.05	Set limestone 12 x 10 x 9 in. for gr. sec. cor.
80.10	The corner to sections 4. 5. 8 and 9 Land level bottom soil 1st rate. Sloping gradually to river.
	North on a random line between secs. 4 and 5. Va. 13° 15' East.
40.00	Set post for temporary gr. sec. cor.
60.40	Cross dry branch course N.E.
80.68	Intersect North boundary of Township at limestone corner to sections

TOWNSHIP No 2 NORTH RANGE No 29 WEST OF THE 6TH P.M.

Chains	
	4 and 5 from which corner I run
	South on a true line between Sections 4 and 5.
	Va. 13°15' East.
40.68	Set post deposited charred stake raised mound of Earth with pits as per instructions for gr. sec. Cor.
80.68	The corner to Sections 4. 5. 8 and 9
	Land level bottom Soil 1st rate.
	July 29th 1872.
	North between Sections 31 and 32.
	Va. 13°15' East.
40.00	Set post deposited charred stake raised mound of Earth with pits as per instructions for gr. sec. Cor.
80.00	Set post deposited charred stake raised mound of Earth with pits as per instructions for corner to Sections 29. 30. 31 and 32.
	Land level prarie Soil 2d rate.
	East on a random line between Sections 29 and 32.
	Va. 13°15' East.
40.00	Set post for temporary gr. sec. Cor.
80.00	Intersect North and South line 51 lks. North of post corner to Secs. 28. 29. 32 and 33. from which Cor. I run
	North 89°38' West on a true line bet. Sections 29 and 32.
	Va. 13°15' East.
40.00	Set post deposited charred stake raised mound of Earth with pits as per instructions for gr. sec. Cor.
80.00	The corner to Sections 29. 30. 31 & 32.
	Land rolling prarie Soil 2d rate
	West on a random line bet Secs. 30 & 31

TOWNSHIP No 2 NORTH RANGE No 29 WEST OF THE 6TH P.M.

Chains	
	Va. 13°15' East.
40.00	Set post for temporary gr. sec. Cor.
73.00	Enter creek bottom with timber
78.50	Cross Dry Creek
80.40	Intersect West boundary of Township 22 links North of post corner to Sections 30 and 31 from which
	A white Elm 15 in. dia. bears about N.E. 150 lks. dist. marked as per instructions for B. T. from which corner I run
	North 89°51' East on a true line bet. Sections 30 and 31.
	Va. 13°15' East.
40.40	Set post deposited charred stake raised mound of Earth with pits as per instructions for gr. sec. Cor.
80.40	The corner to Sections 29. 30. 31 and 32.
	Land bottom lands in west part with ash, cotton wood and Elm.
	Bal. broken prarie Soil 1st & 3d rate.
	North between Sections 29 & 30.
	Va. 13°15' East.
40.00	Set post deposited charred stake raised mound of Earth with pits as per instructions for gr. sec. Cor.
80.00	Set limestone 14 x 16 x 9 in. for corner to Sections 19. 20. 29 & 30.
	Land broken prarie Soil 2d rate.
	East on a random line between Sections 20 and 29.
	Va. 13°15' East.
35.00	Cross ravine with limestone Course N.W.
40.00	Set limestone for temporary gr. sec. Cor.
80.34	Intersect North and South line at post corner to Sections 20. 21. 28 and 29. from which corner I run
	West on a true line between Sections

TOWNSHIP No. 2 NORTH RANGE No. 29 WEST OF THE 6TH P.M.

Chains	
	20 and 29. Va. 13°15' East.
40.17	Set limestone 12 x 16 x 10 in. for gn. sec. cor.
80.34	The corner to Sections 19. 20. 29. and 30. Land broken prairie Soil 2d rate.
	West on a random line between Sections 19 and 30. Va. 13°15' East.
40.00	Set post for temporary gn. sec. cor.
80.66	Intersect West boundary of Township at post corner to Sections 19 & 30. Said cor. stands in East gn. of bottom from which corner I run
	East on a true line between Sections 19 and 30. Va. 13°15' East.
40.66	Set post & faced charred stake raised mound of earth with pits as per instructions for gn. sec. cor.
80.66	The corner to Sections 19. 20. 29 & 30. Land rolling prairie Soil 2d rate.
	North between Sections 19 and 20. Va. 13°15' East.
40.00	Set post & faced charred stake raised mound of earth with pits as per instructions for gn. sec. cor.
56.00	Cross ravine course N.W.
80.00	Set limestone 12 x 13 x 8 in. for corner to Sections 17. 18. 19 and 20. Land broken prairie Soil 2d rate.
	East on a random line between Sections 17 and 20. Va. 13°15' East.
40.00	Set limestone 16 x 10 x 6 in. for temporary gn. sec. cor.
61.50	Cross ravine course N.W.
80.30	Intersect North and South line at post

TOWNSHIP No. 2 NORTH RANGE No. 29 WEST OF THE 6TH P.M.

Chains	
	corner to Sections 16. 17. 20 and 21 from which corner I run
	West on a true line between Sections 17 and 20. Va. 13°15' East.
40.15	Set limestone 16 x 10 x 6 in for gn. sec. cor.
80.30	The corner to Sections 17. 18. 19 & 20. Land rolling prairie Soil 2d rate.
	West on a random line between Sections 18 and 19. Va. 13°15' East.
40.00	Set limestone for temporary gn. sec. cor.
41.70	Cross ravine
60.40	Cross ravine course N.W.
68.40	leave bluff and enter creek bottom
80.69	Intersect West boundary of Township 44 links North of corner to Sections 18 and 19 from which corner I run
	North 89°41' East on a true line bet. Sections 18 and 19 Va. 13°15' East.
40.69	Set limestone 14 x 16 x 9 in. for gn. sec. cor.
80.69	The corner to Sections 17. 18. 19 and 20. Land broken prairie Soil 2d rate.
	North between Sections 17 and 18. Va. 13°15' East.
40.00	Set limestone 14 x 16 x 7 in for gn. sec. cor.
49.45	Ravine course N.W.
60.00	Ravine course N.W.
80.00	Set limestone for corner to Sections 7 8. 17 and 18. Land broken prairie Soil 2d rate.
	East on a random line between

TOWNSHIP No 2 NORTH, RANGE No. 29 WEST OF THE 6th

Chains	
	Sections 8 and 17. Va. 13°15' East.
40.00	Set post for temporary gn. sec. cor.
79.80	Intersect North and South line 21 lks. North of post corner to Sections 8. 9. 16 and 17 from which corner I run
	North 89°51' West on a true line between Sections 8 and 17. Va. 13°15' East.
39.90	Set post deposited charred stake raised mound of Earth with pits as per instructions for gn. sec. cor.
79.80	The corner to Sections 7. 8. 17 and 18. Land rolling prairie Soil 2d rate.
	West on a random line between Sections 7 and 18. Va. 13°15' East
34.00	Leave bluffs and enter Creek & river bottom
40.00	Set post for temporary gn. sec. cor.
64.09	Cross Dry Creek course N. E.
80.76	Intersect West boundary of Township 28 links North of post corner to Sections 7 and 18 from which corner I run
	North 89°48' East on a true line between Sections 8 and 17. Va. 13°15' East.
40.76	Set post deposited charred stake raised mound of Earth with pits as per instructions for gn. sec. cor.
80.76	The corner to Sections 7. 8. 17 and 18. Land in Bluffs broken in bottom level Soil 1st and 3d rate.
	North between Sections 7 and 8. Va. 13°15' East.
25.00	Leave bluffs and enter River Bottom

WNSHIP No 2 NORTH RANGE No. 29 WEST OF THE 6th P.M.

Chains	
	N. E and S. W.
40.00	Set post deposited charred stake raised mound of Earth with pits as per instructions for gn. sec. cor.
80.00	Set post deposited charred stake raised mound of Earth with pits as per instructions for corner to Sections 5. 6. 7 and 8.
	Land level bottom in North part in South part broken Soil 2d and 3d rate.
	Ledge of limestone in Section 8 about 15 chs. from gn. sec. cor. bears N.E.
	East on a random line between Sections 5 and 8. Va. 13°15' East.
40.00	Set limestone for temporary gn. sec. cor.
79.60	Intersect North and South line 12 lks. North of post corner to Sections 4. 5. 8 and 9 from which corner I run
	North 89°55' West on a true line between Sections 5 and 8. Va. 13°15' East.
39.80	Set limestone 12 x 16 x 9 in for gn. sec. cor.
79.60	The corner to Sections 5. 6. 7. and 8. Land level bottom Soil 1st rate.
	West on a random line between Secs. 6 and 7. Va. 13°15' East.
9.60	Cross Dry creek course N.E.
40.00	Set limestone for temporary gn sec. cor.
80.04	Intersect West boundary of Township 43 links South of post corner to Sections 6 and 7 from which corner I run

TOWNSHIP No 2 NORTH RANGE No 29 WEST OF THE 6TH P.M.

Chains	
	South 89° 42' East on a true line bet. Sections 6 and 7. Va. 13° 15' East
40.04	Set limestone 16 x 14 x 5 in for gr. sec. cor.
80.04	The corner to Sections 5. 6. 7 and 8. Land level bottom Soil 1st rate
	North on a random line between Sections 5 and 6. Va. 13° 15' East
4.46	Cross dry creek course N.E.
40.00	Set post for temporary gr. sec. cor.
80.49	Intersect North boundary of Township 28 links East of post corner to Sections 5 and 6. from which corner I run
	South 12' East on a true line between Sections 5 and 6. Va. 13° 15' East
40.49	Set post deposited charred stake raised mound of Earth with pits as per instructions for gr. sec. cor.
80.49	The corner to Sections 5. 6. 7 and 8. Land level bottom Soil 1st rate. July 30th 1872.

General Remarks.

This Township is broken in the Southern part, only a small portion in the Western part is desirable for forming Timber along the dry creek described in the field notes.

Ledge of limestone in bluffs in Sections 8 and 9. also in 7.

Timber cottonwood elm and ash.

U. S. Surveyor Genl's Office
Plattsmouth Neb. May 26th 1879.

I certify that the foregoing transcript of the field notes of the Survey and Subdivision of Township No. 2 North Range No 29 West of the 6th P.M. in Nebraska has been correctly copied from the original notes on file in this office.

Geo. S. Smith
Surveyor Genl.